

**GUIDE FOR EVERY YOUNG GIRL** 





PadHer is a women-led non-profit organization based in Lagos, Nigeria, and Nairobi, Kenya. Our organization educates young African schoolgirls from underserved communities on periods and puberty via the use of comic books so that they can effectively manage their periods and build the self-confidence they need to take control of the future and succeed.

We are ending period stigma, one comic at a time!



Chika
Nwaogu
Founder /
Executive
Director

Thelma
Ahamba
Director of
Operations and
Partnerships

Elvinah Nyambaso Regional

Regional
Director
(East Africa)

Deborah Henshaw Regional

Regional
Director
(West Africa)

Camilla Jussab Regional

**Director** 

(Central Africa)

Kelebohile
Dalaseni
Regional
Director
(Southern
Africa)

Karen
Ashraf
Regional
Director

(North Africa)

Wambui Country Manager (Kenya)

Serah

It's crucial to talk about puberty with young girls because they're naturally fascinated by their changing bodies and may have a lot of questions, such as what is this hard lump in my breast, why are my breasts so small (or big), why don't I have pubic hair yet, why haven't I gotten my period yet, and so on.

Because some girls begin puberty at the age of 8, it is essential to begin the 'puberty' conversation as soon as possible. Every young girl should know the physical and emotional changes that come with puberty before they even begin.


Girls Only was created to make it **free, fun, easy, and comfortable** teaching young school girls such as yourself about periods and puberty.

Puberty brings about so many changes, but remember that everyone goes through these similar changes. The time it takes for these changes to occur varies greatly from one girl to the next. Acne, mood swings, growth spurts, and hormonal changes are all part of growing up, and everyone experiences them. So always remember…It's normal, Period!™

## Donate.

HELP US REACH MORE YOUNG SCHOOLGIRLS IN UNDERSERVED COMMUNITIES BY DONATING TODAY. VISIT: PADHER.ORG/DONATE





AMANDA IS THE MAIN CHARACTER OF THIS COMIC SERIES. SHE IS 12 YEARS OLD, AND SHE JUST GOT HER FIRST PERIOD. AMANDA'S FAVORITE SUBJECTS ARE MATH AND SCIENCE. AMANDA WANTS TO BE AN ENGINEER.





### SANDRA

SANDRA IS 8 YEARS OLD AND LOVES TO SING.
HER FAVORITE SUBJECT IS COMPUTER SCIENCE,
AND SHE WILL LOVE TO BE A COMPUTER
PROGRAMMER WHEN SHE IS OLDER.





JOSHUA IS AMANDA'S YOUNGER BROTHER. HE IS 10 YEARS OLD AND LOVES TO DANCE. JOSHUA'S FAVORITE SUBJECT IS ENGLISH, AND HE LOVES TO BE A WRITER WHEN HE GROWS UP.





DR. J04

DR. JOY IS AMANDA'S OLDER SISTER, AND SHE IS A MEDICAL DOCTOR. SHE IS 28 YEARS OLD AND LOVES TO TEACH AMANDA AND HER SIBLINGS ABOUT PERIODS AND PUBERTY.



MRS. ABIGAIL COKER, FONDLY CALLED "MOM" BY HER CHILDREN, IS THE MOTHER TO AMANDA, DR. JOY, JOSHUA, AND SANDRA. SHE IS A PETTY TRADER AND LOVES HER KIDS SO MUCH.





GRANDMA

MRS. JOYCE WALTER, FONDLY CALLED "GRANDMA" BY HER GRANDCHILDREN, IS AMANDA'S MATERNAL GRANDMA. SHE IS A RETIRED BANKER AND LOVES TO SPEND QUALITY TIME WITH HER GRANDCHILDREN.





Copyright ©2021 Africa54, All right reserved.


This comic book is a work of fiction that may be based on some personal experiences.

**DISCLAIMER:** The content in this comic book is offered solely for educational purposes and should not be regarded as a substitute for professional medical advice.

No part of this comic book may be reproduced, stored, or transmitted by any means, be it auditory, graphic, mechanical, or electronic, without the written permission of Africa54, except in the case of brief excerpts used in reviews and critical articles. Unauthorized reproduction of any part of this comic book is illegal and is punishable by law.



Very Fine, Mrs. Amina















Good afternoon, Big Sis!
I missed you, and I have a
lot of questions for you.

Mom already told me. I
am eager to know what
these questions are.

I want to have lunch,
and then I will be back
with all my questions.

Haha! Okay, I
can't wait to hear
them!







Yes, Amanda! Every year, one in every four teenagers becomes infected with an STI.

Half of all sexually active young adults will get an STI by 25. As a result, you must be aware of these things, their risks, and how to protect yourself.

The only way to avoid STIs is to avoid sex or close sexual contact. Abstinence is the best way to prevent getting an STI at your age!

Okay, Big Sis!

To avoid getting an STI, anyone sexually active should always use a latex condom, get tested with any new partners before having sex, and have consensual sex with only one partner (who also does not have sex with other people).

For now, I choose abstinence until I am married.


That is a great decision, Amanda!
I am proud of you.




STIs caused by bacteria include gonorrhea, syphilis, and chlamydia, whereas STIs caused by viruses include HIV, genital herpes, and HPV. Some STIs, such as Trichomoniasis, are caused by parasites.

causes of sexually


transmitted infections.





## some STI symptoms...

- Bumps, sores, or warts near the mouth, anus, penis, or vagina.
- Swelling or redness near the penis or vagina.
- Skin rash.
- Painful or swollen testicles.
- Lower abdominal pain.
- Fever.
- Painful urination.
- Weight loss, loose stools, night sweats.
- Aches, pains, fever, and chills.
- Yellowing of the skin (jaundice).
- Discharge from the penis or vagina. Vaginal discharge may have an odor.
- Bleeding from the vagina other than during a monthly period.
- Painful sex.
- Severe itching near the genital.





#### IT IS VERY IMPORTANT TO NEVER SELF-DIAGNOSE.


The only way to know if you have an STI is to get tested for them.

Having unprotected sex of any kind puts you at risk of getting STIs and HIV. HIV is a disease that can be deadly. Anyone who engages in risky sexual activity can get an STI or HIV. You can prevent HIV and other STIs by not having sex. If you choose to have sex, you can lower your risk by always using a condom. The only way to find out if you have HIV or any other STI is to get tested.

Big Sis, I can see why abstinence is necessary based on everything you've told me.

How are STIs transmitted from one person to another?







#### UNPROTECTED SEX:


ANY TYPE OF SEX BY AN INFECTED PARTNER WHO ISN'T WEARING A LATEX CONDOM CAN SIGNIFICANTLY INCREASE THE CHANCE OF CONTRACTING AN STI. ALSO, IMPROPER OR INCONSISTENT USE OF CONDOMS (PROTECTION) MIGHT ALSO INCREASE YOUR RISK OF GETTING AN STI.

#### MULTIPLE SEX PARTNERS:

THE MORE PEOPLE YOU HAVE SEXUAL CONTACT WITH, THE HIGHER YOUR RISK OF GETTING AN STI.

#### STI HISTORY:

HAVING AN STI MAKES IT MUCH EASIER FOR ANOTHER STI TO TAKE HOLD.



#### FORCED SEXUAL ACTIVITY:


IT IS TOUGH TO DEAL WITH RAPE OR ASSAULT, BUT IT IS CRITICAL TO CONTACT A DOCTOR AS QUICKLY AS POSSIBLE TO RECEIVE SCREENING, TREATMENT, AND EMOTIONAL SUPPORT.

MISUSE OF ALCOHOL OR RECREATIONAL DRUG USE:
SUBSTANCE ABUSE CAN IMPAIR YOUR JUDGMENT, MAKING YOU MORE
LIKELY TO ENGAGE IN RISKY SEXUAL BEHAVIORS.

#### DRUG INJECTIONS:

MANY SEVERE INFECTIONS, INCLUDING HIV, HEPATITIS B, AND HEPATITIS C, ARE SPREAD THROUGH NEEDLE SHARING.

SCREENING FOR STDS IS VITAL TO PREVENT COMPLICATIONS AS MANY PEOPLE IN THE EARLY STAGES OF AN STD OR STI HAVE NO SYMPTOMS. PELVIC PAIN, ARTHRITIS, EYE INFLAMMATION, PELVIC INFLAMMATORY DISEASE, PREGNANCY COMPLICATIONS, INFERTILITY, HEART DISEASE, AND STROKE ARE ALL POSSIBLE COMPLICATIONS, EVEN CERTAIN CANCERS, SUCH AS CERVICAL AND RECTAL CANCERS CAUSED BY HPV.



#### PREVENTION

STDS AND STIS CAN BE AVOIDED OR REDUCED IN A NUMBER OF WAYS. HOWEVER, THE MOST EFFECTIVE WAY TO PREVENT STIS IS TO AVOID HAVING SEX (ABSTINENCE).

HOWEVER, IF YOU DECIDE TO BE SEXUALLY ACTIVE, STAYING IN A LONG-TERM RELATIONSHIP WHERE BOTH PERSONS HAVE SEX ONLY WITH EACH OTHER AND NEITHER PARTNER IS INFECTED IS ANOTHER RELIABLE WAY TO AVOID STIS.

Also, wait until you and your partner have tested for STIs before engaging in any sexual activity.

Getting vaccinated early, before any sexual contact, can also help against certain types of STIs.

Vaccines are available to prevent STIs such as human papillomavirus (HPV), hepatitis A and hepatitis B.

## IMPORTANT!


When engaging in any sexual act, always use a new latex condom or protection. Never use an oil-based lubricant like petroleum jelly with a latex condom. Using oil-based lubricant with a latex condom will damage the latex of the condom, causing it to break.

THERE IS A LOT TO TALK
ABOUT STIS, BUT THAT WILL
BE ALL FOR NOW. I WILL TELL
YOU MUCH MORE ON MY NEXT
VISIT.

# Okay, Big Sis!









ON THE NEXT ISSUE!

Next month, Girls Only will return with an all-exciting new issue titled **HIV and Sugar Daddy Awareness.** 

In this issue, Dr. Joy empowers Amanda with the knowledge and skills to reduce the risk of STIs such as HIV and teenage pregnancies.

To download this issue for free and/or newer issues, please visit

padher.org/download



#### WHAT MAKES GIRLS ONLY GREAT?

- Well-researched
- Designed for Boys Too!
- Medically accurate contents
- Based on real-life experiences
- Fun for school girls
- Comfortable for Parents and Teachers

## ...I DEEPLY APPRECIATE PADHER'S WORK TO INCREASE ACCESSIBILITY AND EQUITY FOR GIRLS...

— **Meghan Hammond**, Project Manager, HundrED



Want to help your daughter manage her period?

Visit

padher.org/for/parent for a comprehensive parent guide

OR







Age: 8 yrs and above Price: FREE



